

INDEX MAPS.

T. 29 N.R. 8 W. 2nd Mer.

	70		70		70		69		69		68	
72	6	88	5	84	4	81	3	78	2	75	1	68
	88		88		83		80		78		75	
72	7	87	8	83	9	80	10	77	11	75	12	67
	87		87		83		80		77		74	
72	18	86	17	83	16	80	15	77	14	74	13	67
	86		86		82		79		77		74	
71	19	86	20	82	21	79	22	77	23	74	24	67
	85		85		82		79		76		73	
71	30	85	29	82	28	79	27	76	26	73	25	67
	85		84		81		79		76		73	
71	31	84	32	81	33	78	34	76	35	75	36	66
	66		65		65		65		65		65	

T. 30 N.R. 8 W. 2nd Mer.

	99		99		99		98		98		98	
100	6	121	5	116	4	112	3	109	2	105	1	97
	120		120		116		112		108		105	
100	7	120	8	115	9	112	10	108	11	104	12	97
	119		119		115		111		108		104	
100	18	119	17	115	16	111	15	107	14	103	13	96
	119		118		114		111		107		103	
101	19	118	20	114	21	110	22	107	23	103	24	96
	118		118		114		110		106		103	
101	30	117	29	114	28	110	27	106	26	102	25	96
	117		117		113		109		106		102	
101	31	116	32	113	33	109	34	105	35	102	36	95
	95		94		94		93		93		93	

The figures on the lines refer to the page.

⁹³
Township 30 North, Range 8 West, 2nd Mer. Ind.

C. L.

South Boundary.

Var. 5:25' E.

West On South side Section 36,

- 4.00 Enter marsh
18.00 Leave do
29.99 W. oak 11 in dia.
35.00 Enter West prairie
40.00 Set gr. Sec. post in West prairie from which a
W. oak 17 in. dia. bears S. 31 E. 231 the dist.
W. oak 13 " " " S. 49 1/2 W. 119 " "
50.00 Leave West prairie
67.00 Enter West prairie
76.00 Enter Marsh
80.00 Set post cor to Sec. 35 & 36 from which
a W. oak 16 in. dia. bears S. 8 1/2 E. 467 the dist.
no other tree

Dry land rolling barens poor
Soil W & Y. oak

West on South Side Sec. 35

- 9.00 Leave Marsh- Water from 1 to 2 1/2 feet
deep Current to S. S. E.
30.73 W. Oak 15 in. dia.
40.00 Set gr. Sec. post from which a
W. Oak 10 in. dia. bears S. 83 1/2 W. 113 the dist.
W. Oak 6 " " " S. 85 1/2 W. 113 " "
19.00 Enter Marsh
80.00 Set post cor to Sec. 34 & 35 from which
a W. Oak 11 in. dia. bears N. 32 1/2 W. 459 the dist.
" W. Oak 17 " " " N. 12 1/2 E. 405. " "
This mile along the north boundary
of the great prairie. Very little timber
level and mostly low and wet

West on South Side Sec. 34

- 19.50 Leave marsh- Some dry paces- water

Y 30. N. B. & W. 2nd Mer. Ind.

Water runs Eastward - is dry in Summer

40.00 Set gr. Sec. post from which a
W. Oak 15 in. dia. bears N. 30 W. 86. lbs. dist?
W. No 17 " " " N. 43 1/2 W. 85. " "

66.50 W. No 8 " "

80.00 Set Sec. post cor. to Sec. 33 + 34 from which
a W. Oak 15 in. dia. bears N. 37 1/2 E. 124 lbs. dist?
" W. No 19 " " " N. 31 1/2 W. 268. " "

East 25.00 land similar - West 55.00
rolling barrens thin sandy soil W. & Y. oak

West on South Side Sec. 33

18.50 W. Oak 17 in. dia.

26.75 W. Oak 10 " " "

28.00 Enter marsh

40.00 Set gr. Sec. post in marsh from which
a Y. Oak 16 in. dia. bears N. 89. E. 123.1 lbs. dist?
" Y. No 18 " " " S. 33 E. 398. " "

59.00 Leave marsh

80.00 Set post cor to Sec. 32 + 33 from which
a W. Oak 18 in. dia. bears N. 42. E. 204 lbs. dist?
" W. Oak 17 " " " N. 75 1/2 W. 152. " "

Except marsh land rolling - poor sandy
barrens - thin timbered W. & Y. oak

West on South Side Sec 32

31.47 W. Oak 18 in. dia.

37.71 W. Oak 8 " " "

40.00 Set gr. Sec. post from which a
Y. Oak 14 in. dia. bears N. 8 E. 120 lbs. dist?
Y. No 17 " " " N. 25 1/2 W. 98. " "

75.00 Enter wet prairie

80.00 Set post cor to Sec. 31 + 32 from which a
Y. Oak 8 in. dia. bears N. 43 E. 181 lbs. dist?
W. Oak 16 " " " N. 14 1/2 W. 137 lbs. dist?

Land is similar level and large

Marsh South and near the mile

West on South Side Sec 31
 9.00 Leave wet prairie
 13.97 W. Oak 16 in dia.
 22.50 Enter wet prairie
 40.00 Set gr. Sec. post from which a
 P. Oak 15 in. dia. bears N. 48 $\frac{1}{2}$ W. 3.24 the dist.
 P. No 6 " " " N. 54 $\frac{1}{2}$ W. 1.09 "
 63.00 Leave wet prairie on a point of Dry land
 from N. E
 70.00 Enter wet prairie or Marsh - is larger
 North & S. W.
 85.53 Cor. of T. 29 & 30 & R. 8 & 9 W.
 Land similar

Surveyed April 3rd 1884 by
 Robert Clark Esq.
 Dep^t. Surveyor

East Boundary

North on East Side Sec. 36 Var. 5° 53' E
 6.00 Enter Marsh
 10.00 Leave Marsh
 2.45 P. Oak 16 in. dia.
 35.00 Enter wet prairie - water runs West
 40.00 Set gr. Sec. post from which a
 W. Oak 9 in. dia. bears N. 7 W. 3.71 the dist.
 P. Oak 16 " " " S. 10 $\frac{1}{2}$ W. 6.42 " "
 41.00 Leave wet prairie
 59.74 Y. Oak 16 in. dia
 80.00 Set post cor. to Sec. 25 & 36 from which
 a P. Oak 17 in. dia. bears N. 47 $\frac{1}{2}$ W. 1.78 the dist.
 " P. No 14 " " " S. 79 $\frac{1}{2}$ W. 4.35 " "
 Land mostly poor sandy barrens places rolling
 others level & low wet prairie - poor & in now partly
 cov^d with water - dry part thinly timber^d w. N. or P. Y. Oak

J. 30 N. P. & W. 2nd Mer. Ind. &

North	on East Side Sec. 25
1.50	Enter West prairie
15.50	Leave " do
36.50	Enter " do
40.00	Set gr. Sec. post from which a R. Oak 4 in. dia. bears N. 36 $\frac{1}{2}$ E. 54 lbs dist. W. Oak 17 " " " S. 22 $\frac{1}{2}$ W. 2.94 lbs dist.
45.00	Leave West prairie
53.14	W. Oak 16 in. dia.
60.00	Enter West prairie
68.50	Leave do do
80.00	Set post cor. to Sec. 24 & 25 from which a W. Oak 16 in. dia. bears N. 46 $\frac{1}{2}$ W. 65 lbs dist. W. do 16 " " " S. 36 W. 46. " "
	Land is similar

North	on East Side Sec. 24
15.50	W. Oak 16 in. dia.
16.57	Y. Oak 15 " "
13.50	Enter West prairie
38.00	Leave do do
40.00	Set gr. Sec. post from which a R. Oak 15 in. dia. bears S. 43 $\frac{1}{2}$ W. 1.25 lbs dist. R. do 15 " " " N. 20 $\frac{1}{2}$ W. 1.33 " "
47.24	Y. do 16 " "
58.00	Enter West prairie
61.50	Leave do do
80.00	Set post cor. to Sec. 13 & 24 from which a W. Oak 15 in. dia. bears N. 35 $\frac{1}{2}$ W. 96 lbs dist. " W. do 9 " " " S. 63 $\frac{1}{2}$ W. 142 " "
	Land is similar

North	on East Side Sec. 13
23.53	W. Oak 16 in. dia.
34.50	Enter West prairie
49.00	Set gr. Sec. post from which a

No. Oak 15 in. dia. bears S. 46 $\frac{1}{2}$ E. 113 No. dist^r
 No. do 10 " " " S. 14 E 117 " "
 58.00 Enter marsh
 80.00 Set post cor. to Sec. 12 & 13 in marsh water
 12 inches deep from which a
 W. Oak. 13 in. dia. bears N. 4 W. 13.47 No. dist^r
 no other tree
 Land is similar

North on East Side Sec. 12
 14.00 Leave marsh & enter wet prairie
 28.50 Leave wet prairie on a low Isle of oak
 Barrens
 34.00 Leave Island & enter wet prairie with
 Willows
 28.59 No. Oak. 6 in. dia.
 40.00 Set gr. Sec. post from which a
 Willow 4 in. dia. bears N. 24 $\frac{1}{2}$ W. 49 No. dist^r
 Willow 3 " " " S. 27 W. 59 " "
 46.50 Leave wet prairie from a point of
 Barrens from E.
 47.17 W. Oak 5 in. dia.
 50.50 Enter wet prairie
 80.00 Set post cor. to Sec. 12 from which a
 Y. Oak 6 in. dia. bears N. 6 W. 419 No. dist^r
 Y. do 8 " " " N. 78. E. 220 " "
 Land is similar level

North on East Side Sec. 1
 1.00 Leave wet prairie Points large
 8.50 Enter do do marsh on the west
 22.50 Leave do do
 40.00 Set gr. Sec. post from which a
 W. Oak 8 in. dia. bears N. 35 $\frac{1}{2}$ W. 72 No. dist^r
 W. Oak 9 " " " S. 4 $\frac{1}{2}$ W. 36 " "
 70.00 Enter wet prairie

T. 30 N. R. 8. W. 2nd Me. Ind.

8346 Town corner

Land is similar level
 Surveyed April 2nd 1884 by
 Robert Clarke Jr.
 Dep't. Surveyor

North Boundary

West on South Side Sec. 36 T. 31 N. R. 8 W.
 Began on West prairie (Var. 5° 55' E.)
 40.00 Set gr. Sec. post from which a
 W. Oak 4 in. dia. bears N. 96.8.81 W. dist.
 Y. Oak 6. " " " N. 5½ E. 9.43. " "
 80.00 Set post cor. to Secs. 35 & 36 from which a
 Y. Oak 10 in. dia. bears S. 88 W. 200 W. dist.
 no other near
 Land flat & wet prairie soil 2nd rate timber
 a few scattering Oak

West on South Side Sec. 35 T. 31 N. R. 8. W.
 40.00 Set gr. Sec. post from which a
 W. Oak 5 in. dia. bears N. 51 E. 8.86 W. dist.
 no other
 75.00 Leave West prairie & point of timber
 S. W.
 80.00 Set post cor. to Secs. 34 & 35 from which a
 Y. Oak 24 in. dia. bears N. 43 E. 45. W. dist.
 Y. do. 30 " " " N. 42 E. 65. " "
 Land is same

West on South Side Sec. 34 T. 31 N. R. 8. W.
 5.00 Leave point of timber & enter prairie
 40.00 Set gr. Sec. post from which a
 Y. Oak 7 in. dia. bears S. 12 W. 7.76 W. dist.
 Y. do 6. " " " S. 1½ W. 7.95 " "
 80.00 Set post cor. to Secs. 33 & 34 from which
 Y. Oak 24 in. dia. bears N. 89 W. 10.82 W. dist.

T. 30 N. R. 8 W. 2nd Mer. Ind. 99

T. Oak. 3 in. dia. bears S. 87 $\frac{1}{2}$ W. 976 119 dist.
Land Le Same

West on South Side Sec. 33 T. 31 N. R. 8 W.
8.00 Enter grove timber
13.00 Leave do do + enter prairie again
40.00 Set gr. Sec. post from which a
Y. Oak 8 in. dia. bears N. 26 $\frac{1}{2}$ W. 93 119 dist.
B. Oak 10 " " " N. 80 E. 163 " "
51.00 Leave West prairie
54.23 W. Oak 7 in. dia
70.28 Y. Oak 18 " "
80.00 Set post cor. to Sec. 32 + 33 from which
a Y. Oak 14 in. dia. bears N. 29 E. 77 119 dist.
" Y. do 18 " " " N. 54 $\frac{1}{2}$ W. 29 " "
Land Level + 3" rate thinly timbered
with oak

West on South Side Sec. 32 T. 31 N. R. 8 W.
14.67 Y. Oak 10 in. dia.
31.17 Y. do 20 " "
40.00 Set gr. Sec. post from which a
Y. Oak 4 in. dia. bears N. 42 E. 16 119 dist.
Y. do 6 " " " N. 46 W. 59 " "
60.00 Enter West prairie
80.00 Set post cor. to Sec. 31 + 32 from which
a B. Gum 8 in. dia. bears N. 89 $\frac{1}{2}$ E. 20.10 119 dist.
Land Le much as before

West on South Side Sec. 31 T. 31 N. R. 8 W.
25.00 Leave West prairie
27.14 B. Oak 8 in. dia.
29.50 Enter West prairie
40.00 Set gr. Sec. post from which a
Y. Oak 12 in. dia. bears S. 65 $\frac{1}{2}$ W. 177 119 dist.
Y. do 10 " " " S. 82 $\frac{1}{2}$ W. 196 " "

T. 30. N. R. 8 W. 2nd, Mer. Ind^a

81.25 West Boundary line

Set post from which a
 Y. Oak 6 in. dia. bears N. 32 E. 142. No dist.
 W. do 7 " " " S. 37 W. 530 " "
 Land so much as before

Surveyed Aug 1st 1834 by
 Robert Clark Esq
 Dep^t. Surveyor

West Boundary (var. 5° 30' 6")

South on East Side Section 1 T. 30 N. R. 9 W

Began in West prairie

8.00 Leave West prairie

15.95 Y. Oak 12 in. dia.

38.50 Enter West prairie

40.00 Set gr. Sec. post. from which a

W. Oak 7 in. dia. bears N. 2 W. 168 1/2 dist.

W. do 20 " " " N. 16 W. 226. " "

55.00 Leave prairie & set post in N. Margin
 of Lake from which a

{ Continued by } W. Oak 7 in. dia. bears N. 1/2 W. 168 1/2 dist.
 { S. Goodnow } No other

80.00 Cor. to Sect 1 & 12 in Lake

Land rolling 3^d rate north of Lake
 Timber Oak

55.00 Enter marsh

80.00 Set post in marsh cor to Sect 1 & 12

no bearings too wet to raise mound

South on East Side Sec. 12 T. 30 N. R. 9 W.

11.40 To Beaver Lake post no mound or bearings

40.00 Set gr. Sec. post in Lake

80.00 Cor to Sections 12 & 13 in Lake

South on East Side Sec. 13 T. 30 N. R. 9 W.

40.00 gr. Sec. cor. in Lake

T. 30. N. R. 8. W. 2nd Mer. Ind. Co.

101

5000 Cor to Sec. 13 + 24 in Lake

South on East Side Sec. 24 T. 30. N. R. 9. W.
 37.00 Set post South margin Lake + Marsh from which
 a W. Oak 30 in. dia. bears N. 88 W. 3.03 lks. dist.
 " Y. Oak 4 " " " S. 61 W. 2.57 " "
 40.00 Set gr. Sec. post from which a
 Y. Oak 16 in. dia. bears N. 74 W. 2.21 lks. dist.
 Y. Do 14 " " " N. 61 W. 2.53 " "
 56.00 Leave marsh + enter grove of timber
 63.00 Leave grove + enter marsh again
 80.00 Set post cor. to Sec. 24 + 25 from which
 a W. Oak 8 in. dia. bears S. 88 W. 5.52 lks. dist.
 " Y. Oak 9 " " " S. 42 W. 4.02 " "
 Land level + 3rd rate timber oak

South on East Side Sec. 25 T. 30. N. R. 9. W.
 3.50 Leave marsh
 7.20 Y. Oak 10 in. dia.
 11.00 Enter marsh
 40.00 Set gr. Sec. post from which a
 W. Oak 8 in. dia. bears N. 40 W. 4.24 lks. dist.
 no others
 80.00 Set post cor. to Sec. 25 + 26 in Marsh
 Water too deep for mound + no trees
 Land lb. similar

South on East Side Sec. 36 T. 30. N. R. 9. W.
 40.00 Set gr. Sec. post in marsh no mound
 or bearings Water deep
 80.00 Set post cor. to Towns. 29 + 30. of 1858 + 9th from which
 a Y. Oak 20 in. dia. bears S. 29 W. 3.70 lks. dist.
 " W. Oak 10. " " " S. 13 E. 5.00. " "
 Land all marsh

Surveyed July 2nd 1884 by
 Robert Clark Jr. & Luc' Goodman

T30. N. R. 8 W. 2nd Mer. Ind.

Subdivisions

Var. 5° 55' E.

North	Between Sections 35 + 36
40.00	Set gr. Sec. post. When raise a mound pit East 3 lbs. dist.
80.00	Set post cor. to Sect. 25, 26, 35 + 36 from which a W. Oak, 24 in. dia bears N. 43 W. 10, 86, 112, dist. " B. Oak, 24 " " " S. 47 E 3, 71. " " Land level & Marshy 3/4 rate Swamp & prairie grass with a few scattering trees near last mentioned corner
East	on random between Sect. 25 + 36
35.00	Leave marshy prairie & enter timber
80.00	Intersect East boundary 50 lbs. N. of post Timber Black Oak & W. Oak Land wet & Soil poor
West	Correct line between Sect. 25 + 36
10.00	B. Oak 18 in. dia.
40.00	Set gr. Sec. post from which a B. Oak 15 in. dia. bears N. 62 E. 91 lbs. dist. W. Oak 18 " " " S. 68 E. 10, 99. " "
80.00	Section Corner
North	Between Sections 25 + 26
15.00	Enter scattering grove. B & W. oak
23.59	W. Oak 18 in. dia.
36.00	Enter prairie
40.00	Set gr. Sec. post from which a B. Oak 10 in. dia. bears S. 62 W. 43, 32 lbs. dist. W. Oak 30 " " " N. 72 E. 6, 620, " "
80.00	Set post. When raise a mound Corner to Sections 23, 24, 25 + 26 pit South 3 lbs. dist. Land low & Marshy

East on random between Sec^s 24 & 25
 4.56 Enter timber
 79.90 Intersect East boundary 1 c. 39th N. of post
 Land rolling Soil sandy
 Timber Oak of all kinds W. L. none

West Correct Between Sec^s 24 & 25
 18.00 B. Oak 12 in. dia.
 40.00 Set gr. Sec. post from which a
 B. Oak 18 in. dia. bears S. 36° W. 35th N. dist.
 W. Oak 20 " " " N. 31° E. 36 " "
 79.00 Section corner Dec^r 15th 1834

North Between Sections 23 & 24
 40.00 Set gr. Sec. post When raise a mound
 pit East 3th N. dist.
 80.00 Set post cor to Sec^s 13, 14, 23 & 24
 When raise a mound
 pit South 42° E. 1.10th N. dist.
 Land Entirely marsh

East on random between Sec^s 13 & 24
 21.00 Enter timber
 79.85 Intersect East Boundary 25th N. of post
 Land level, prairie marshy
 Timber W. B. & Red oak W. L. none

West correct line between Sec^s 13 & 24
 1.25 W. Oak 15 in. dia.
 4.50 B. Oak 15 " "
 40.00 Set gr. Sec. post from which a
 W. Oak 15 in. dia. bears S. 22° E. 148th N. dist.
 W. do 19 " " " N. 78° W. 105 " "
 79.85 Section corner

North Between Sections 13 & 14

T. 30 N. R. 8 W. 2nd Mer. Ind.

40.00 Set gr. Sec. post when raise a mound
pit East 3rd No. Dist.
45.00 Enter timber
80.00 Set post cor. to Sec. 11, 12, 13 & 14
from which a
R. Oak 18 in. dia. bears S. 22° E. 157 1/2 No. Dist.
W. Oak 30 " " " N. 62° W. 644 " "
Prairie Marshy, Timber scattering White
Black & Red Oak undergrowth none
Soil thin

East on random Between Sec. 12 & 13
8.50 Enter prairie
25.00 Leave do & Enter grove
31.50 Enter Marshy prairie
80.00 Intersect East Boundary 88 No. North
of post all marsh except small oak
grove Soil poor

West Correct between Sec. 12 & 13
40.00 Set gr. Sec. post when raise a mound
pit East 35 No. Dist.
80.00 Section corner

North Between Sections 11 & 12
11.80 W. Oak 18 in. dia.
22.75 Enter prairie
40.00 Set gr. Sec. post when raise a mound
pit East 2 No. Dist.
80.00 Set post cor. to Sec. 1, 2, 11 & 12
no bearings no possibility of making
a mound timber scattering Oak
prairie covered with ice & water
Marshy

Dec. 17th 1834

East on random between Sec. 1 & 12
1950 Intersect East boundary 1 chain to the north
of post land very marshy & deep

West Correct between Sec. 1 & 12
39.75 Set gr. Sec. post no mound or bearings
to be had
99.50 Section Corner

North Between Sections 1 & 2
40.00 Set gr. Sec. post. where raise a mound
pit East 3 1/2 m. dist.
45.00 Leave marsh & enter grove
58.88 W. Oak 24 in. dia.
60.00 Leave grove & enter marsh
82.52 Intersect North Boundary 53 m. East
of post
Set post cor. to Sec. 1 & 2 where raise a mound
pit South 3 1/2 m. dist.
Very marshy except grove
Timber in grove W. & W. oak
Soil sandy & poor
Dec. 21st 1884

North Between Sections 34 & 35
40.00 Set gr. Sec. post. from which a
W. Oak 15 in. dia. bears S. 26 1/2° W. 27 1/2 m. dist.
W. Oak 15 " " " N. 70° E. 80. " "
50.77 W. No 9 " "
60.48 W. Oak 12 " "
80.00 Set post cor. to Sec. 26, 27, 34 & 35
from which a
W. Oak 24 in. dia bears N. 69° W. 1.44 m. dist.
W. Oak 18 " " " S. 24 E. 3.00. " "
Thick timbered with oak marshy and
sand ridges interspersed. Soil poor.

30. N. B. 8. W. 2nd Mer. Ind^a

East on random between Sec. 26 & 35
 79.89 Intersect East line 70 lbs South of post
 Very little timber B. & W Oak level &
 marshy Soil poor

West correct between Sec. 26 & 35
 39.05 $\frac{1}{2}$ Set gr. Sec. post from which a
 Asp in 4 in dia, bears $21\frac{1}{2}^{\circ}$ E. 2.48 lbs dist
 W. Oak 12 " " " N 57° W. 1.43 " "
 58.00 B. Oak 12 " "
 59.50 B. No 15 " "
 79.89 Section corner

North Between Sections 26 & 27
 40.00 Set gr. Sec. post from which a
 B. Oak 12 in. dia, bears 83° E. 1.13 lbs dist
 B. No 24 " " " N $4\frac{1}{2}^{\circ}$ W. 5.25 " "
 56.50 W. Oak 24 " "
 56.80 B. Oak 15 " "
 75.73 W. Oak 24 " "
 80.00 Set post on to Sec. 22, 23, 26 & 27
 from which a
 B. Oak 15 in dia, bears 50° E. 6.82 lbs dist
 B. Oak 10 " " " N 47° W. 3.12 " "
 Dry & sandy Oak of all kinds
 Land rolling Soil poor

East on random between Sec 23 & 26
 79.78 Intersect Post line 1.46 lbs N. of post
 East half wet prairie. West half thinly
 timbered with Oak. Soil poor

West correct line between Sec. 23 & 26
 46.00 Set gr. Sec. post from which a
 W. Oak 15 in dia bears N. 65° W. 1.18 lbs dist
 W. No 24 " " " S $5\frac{1}{2}^{\circ}$ E. 1.08 " "
 59.50 B. Oak 24 " "

79.78 Section Corner

Dec. 16th 1834

North Between Sect. 22 & 23

40.00 Set gr. Sec. post from which a

W. Oak 18 in. dia bears S. 81¹/₂ W. 10.93 1/2 m. dist.

W. Oak 24 " " " N. 20¹/₂ E. 10.80 " "

80.00 Set post cor. to Sect. 14, 15, 22 & 23

from which a

W. Oak 24 in. dia, bears S. 39¹/₂ E. 6.49 1/2 m. dist.

W. No 12 " " " N. 15¹/₂ W. 4.59 " "

no bearings for the other corner. Land
level mostly but no timber near the
line Soil poor

East on random between Sect. 14 & 23

79.93 Intersect east line at post

West Correct between Sect. 14 & 23

39.96¹/₂ Set gr. Sec. post from which a

W. Oak 12 in dia bears S. 86¹/₂ E. 10.33 1/2 m. dist.

W. Oak 12 " " " N. 43¹/₂ W. 1.86 " "

74.93 Section Corner

West prairie with a few scattering
oaks. Soil sandy & poor

North Between Sections 14 & 15

40.00 Set post gr. Sec. from which a

W. Oak 18 in. dia bears S. 39¹/₂ W. 1.31 1/2 m. dist.

W. No 15 " " " N. 14¹/₂ E. 2.14 " "

44.03 White Oak 24 " "

70.30 No No 12 " "

80.00 Set post cor. to Sect. 10, 11, 14 & 15

from which a

W. Oak 24 in. dia bears S. 65¹/₂ W. 2.22 1/2 m. dist.

W. Oak 20 " " " N. 62¹/₂ E. 8.80 " "

30. N. R. & M² ^{2nd} Nov. Ind^a

Land rolling, Soil Sandy and
Timber scattering White & Black oak

East on random between Sect. 11 & 14
29.50 Enter West prairie
44.50 Leave do do & Enter timber
50.00 Intersect East line 1 chain south of
post. Land rolling timber oak of all
kinds. Sandy & poor

West correct line between Sect. 11 & 14
19.50 White oak 12 in. dia.
40.00 Set gr. Sec. post. where raise a mound
pit East 3 lks. dist.
55.50 White oak 10 in. dia.
80.00 Section corner

North Between Sections 10 & 11
40.00 Set gr. Sec. post. from which a
B. oak 12 in. dia bears S 21 $\frac{1}{2}$ ° E. 107 lks. dist.
B. do 15 " " " N. 21 $\frac{1}{2}$ ° W. 46 " "
53.18 White oak 30 " "
80.00 Set post cor. to Sect. 2, 3, 10, & 11 from which
a B. oak, 24 in. dia bears N. 81° E. 159 lks. dist.
" B. do. 20 " " " S. 32 $\frac{1}{2}$ ° W. 19. " "
Soil Sandy & poor Small marshes &
sand ridges thin timber with oak

East on random between Sect. 2 & 11
4.00 Enter marsh
80.80 Intersect East line 1 chain N. of post
Deep marsh covered with water & ice

West correct line between Sect. 2 & 11
40.40 Set gr. Sec. post. where raise a mound
pit East 3 lks. dist.

80.80

0

0

East

West

by
S. 30 N. R. 8 W. 2nd Mer. Ind.

6.50 B. Oak 15 in. dia.
10.00 W. Oak, 18 " "
39.93½ Set gr. Sec. post. When raised a mound
pit East 3 1/2 hrs. dist.
79.87 Section Corner

North Between Sections 27 & 28
10.00 Center Timber
38.07 B. Oak 20 in. dia.
40.00 Set gr. Sec. post from which a
B Oak 22 in. dia. bears S. 26° E 289 lbs. dist.
+ a No. 20 " " " N. 60° W. 420 " "
61.50 White Oak 30 " "
80.00 Set post cor. to Sec. 21, 22, 27 & 28
a W Oak 20 in. dia. bears S. 19½° W. 48 lbs. dist.
" No 30 " " " N. 2° E 205 " "
Land level thinly timbered Soil sandy
& poor oak of all kinds

East on random between Sec. 22 & 27
79.90 Intersect East line 14 lbs. N. of post
Land level Soil sandy & poor
W. B. & B. Oak, thin

West Correct line between Sec. 22 & 27
10.00 a B. Oak 8 in. dia.
40.00 Set gr. Sec. post from which a
B. Oak, 21. in. dia. bears S. 47° E, —
a Do. 24 " " " N. 76° W. 197 lbs. dist.
63.00 White Oak 36 " "
79.90 Section Corner

North Between Sections 21 & 22
40.00 Set gr. Sec. post from which a
B. Oak 15 in. dia. bears S. 68½° W. 23 lbs. dist.
a Do 12 " " " N. 50½° E, 44 " "

111

J. 30 N. B. 8. W. 2nd Mer. Ind. &

45.25 "Black Oak 15 in. dia,
 56.28 White No 24 " "
 80.00 Set post cor. to Sec, 15, 16, 21 & 22
 a R. Oak 18 in. dia, bears N. 72° E. 2.01, 112 dist.
 " Do 36 " " " S. 75° W. 142. " "
 Sand & Timber Same as last line

East on random line between Sec, 15 & 22
 79.88 Intersect East line at post land rolling
 and sandy thinly timbered with oak
 underneath same

West Correct line between Sec, 15 & 22
 20.68 a "Black Oak 24 in. dia.
 39.94 Set gr. Sec. post. from which a
 "B. Oak 12 in. dia, bears S. 56½° E. 43. 112 dist.
 a Do— 10 " " " N. 47½° W. 70. " "
 56.50 " "B. Oak 20 in. dia,
 79.88 Section Corner
 Dec, 19th 1834

North Between Sections 15 & 16
 40.00 Set gr. Sec. post. from which a
 R. Oak 12 in. dia. bears S. 11° W. 157. 112 dist.
 a Do 10 " " " N. 69½° E. 145. " "
 44.75 Enter Marshy prairie
 80.00 Set post cor. to Sec, 9, 10, 15 & 16
 no mound nor bearings deep
 Marsh. Timber Oak scattering

East Rand. Between Sections 10 & 15
 19.00 Enter small grove of oak
 29.50 Leave do do & Enter Marsh
 75.00 Enter Timber
 80.06 Intersect East line 11 lks S. of post
 Very little timber, Oak Soil poor Sand level

2, 30. N. R. 8 W. 2nd Mer. Ind.

West Correct line between Sec. 10 & 15
 4.50 a YB. Oak 22 in. dia,
 40.03 Set gr. Sec. post. from which a
 YB. Oak, 10. in. dia bears N. 1° W. 3.38. 1/2 m. dist.
 " Do. 12. in. " " N. 8° E. 7.56. " "
 80.06 Section corner

North Between Sections 9 & 10
 40.00 Set gr. Sec. post. where raise a mound
 pit East 3 1/2 m. dist.
 56.50 Enter scattering Timber
 73.68 a White Oak, 15 in. dia,
 80.00 Set post cor. to Sec. 3, 4, 9 & 10. from which
 a YB. Oak 29. in. dia. bears S. 40° W. 70. 1/2 m. dist.
 a Do 30. " " " N. 78° E. 74. " "
 Prairie marshy Timber YB. & W. Oak, sandy

East on random between Sec. 3 & 10
 79.66 Intersect East line 42 chs. south of post
 Land rolling, dry & sandy. Soil poor
 Timber YB & W. Oak, undergrowth none

West Correct line between Sec. 3 & 10
 25.00 a YB. Oak 24 in. dia,
 39.83 Set. gr. Sec. post. from which a
 YB. Oak 12 in. dia. bears N. 40° E. 20. 1/2 m. dist.
 W. Oak 15 " " " S. 58 1/2° W. 63. " "
 55.00 a YB. Oak 6 " "
 79.66 Section corner

North Between Sections 3 & 4
 15.15 a YB. Oak 24 in. dia,
 40.00 Set. gr. Sec. post. from which a
 W. Oak, 15 in. dia. bears N. 49° W. 12. 1/2 m. dist.
 YB. Oak, 20 " " " S. 43 1/2° E. 33. " "
 65.62 a YB Oak 18 " "

Y 30 N. R. 8 W. 2nd Mer Ind^a 113

- 69.50 Enter marshy prairie
 82.50 Intersect North boundary 1 c 06 lbs. N. of post
 Land rolling & sandy. Timber B. Oak, &
 R. Oak. Soil thin underground new
 Oct. 22nd 1834
 PS Set post in in mound cor. to Sec.
 3 & 4 pit South 3 links dist

- North Between sections 32 & 33
 4.00 Enter low prairie
 38.50 Leave do do & Enter timber
 40.00 Set gr. Sec. post from which a
 R. Oak 20 in dia. bears S. 21° W. 23 lbs. dist.
 a Do 24 " " " N 28° E. 32. " "
 46.35 a W. Oak 22 in. dia.
 55.64 " Do - 24 " "
 68.61 " B. Oak 15 " "
 80.00 Set post cor. to Sec. 28, 29, 32 & 33
 a W. Oak 22 in. dia. bears S. 23° E. 44 lbs. dist.
 " B. Oak 24 " " " N. 29° W. 2, 12 lbs. dist.
 all B. & R. oak soil sandy

- East on random between Sect. 28 & 33
 65.00 Enter prairie
 79.90 Intersect East line 80 lbs. N. of post
 Land level. Soil poor & sandy
 Timber Oak of all kinds

- West correct line between Sect. 28 & 33
 39.95 Set gr. Sec. post from which a
 R. Oak 10 in. dia. bears N. 84° E. 4.10 lbs. dist.
 a B. Oak 18 " " " S. 86° W. 12, 11. " "
 58.50 a W. Oak 20 " "
 70.00 " Do - 15 " "
 79.90 Section corner

T 30. N. R. 8 W. 2nd Mer. Int. a

North Between Sections 28 + 29
 4.75 Enter wet prairie
 40.00 Set gr. Sec. post no bearings nor mound
 80.00 Set post cor. to Sec. 20, 21, 28 + 29
 no mound nor bearings possible
 Land very marshy, level & poor

East on random Between Sec. 21 + 28
 58.50 Enter scattering oak timber
 79.85 Intersect East line 50 lks. N. of post
 Land low prairie very wet level & poor

West Correct line between 21 + 28
 59.92 $\frac{1}{2}$ Set gr. Sec. post from which a
 No. Oak 24 in dia bears S. 65° E. 6.67 lks. dist?
 a No. Oak 18 " " " S. 25° W. 6.66 " "
 79.85 Section Corner

North Between Sections 20 + 21
 40.00 Set gr. Sec. post, where raise a mound
 pit East 3 lks. dist.
 70.75 Enter small grove
 72.50 Leave do do & enter prairie
 80.00 Set post cor. to Sec. 16, 17, 20 + 21
 Where raise a mound
 pit South 3 lks. dist.
 Land deep Morap except grove

East on random between Sec. 16 + 21
 4.00 Enter timber
 79.59 Intersect East line 80 lks. N. of post
 Land rather rolling & sandy B. W.
 & No. Oak.

West Correct line between Sec. 16 + 21

30. N. B. 8. W. 2nd Mer. Ind.

115

- 34.00 a B. Oak 18 in. dia.
 39.79 $\frac{1}{2}$ Set gr. sec. post from which a
 B. Oak 10 in. dia. bears N. 55° E. 1 Chain dist.
 a Do 36 " " " S. 46. N. 40 W. do
 54.00 " E 6 24 " "
 79.59 Section corner

Dec. 21st 1834

- North Between Sections 16 & 17
 7.50 Enter Shrubby Oak Grove
 22.50 Leave do do & Enter prairie
 40.00 Set gr. sec. post when raised a mound
 pit East 3 lks. dist.
 80.00 Set post cor. to Secs 8, 9, 16, & 17 near
 Small Grove on the East, from which
 a B. Oak 15 in. dia. bears S. 57 $\frac{1}{2}$ E. 9 $\frac{1}{2}$ lks. dist.
 " Do 15 " " " N. 57 $\frac{1}{2}$ E. 1 Chain
 no bearings for the other Sec. & no chance
 of a mound, prairie all marshy & deep

- East on random between Secs 9 & 16
 4.75 Enter West prairie
 79.89 Intersect East line 1 Chain N. of post
 Prairie level & marshy

- West correct line between 9 & 16
 39.94 $\frac{1}{2}$ Set gr. sec. post no bearings, no possibility
 of making a mound
 79.89 Section corner

Dec. 22nd 1834

- North Between Secs 8 & 9
 40.00 Set gr. post. no mound or bearings
 80.00 Set post cor. to Secs 4, 5, 8 & 9 no mound
 no bearings. Land marshy prairie
 level & poor soil

T. 30 N. R. 8 W. 2nd Mer. Ind. a

East on random between Sec. 4 & 9
 29.75 Leave marsh & Enter Timber
 79.76 Intersect East line 55 lks. N. of post
 Land rolling poor & sandy
 "B. W. & Red Oak

West Correct line between Sec. 4 & 9
 23.00 a B. Oak 24 in. dia.
 39.88 Set gr. Sec. post from which a
 W. Oak 36 in. dia. bears N. 36° E. 35 lks. dist.
 a B. Oak 5 " " " S. 68° E. 13. " "
 79.76 Section corner

North Between Sections 4 & 5
 40.00 Set gr. Sec. post no mound now
 Bearings
 64.50 Leave marsh & Enter timber
 78.86 a W. Oak 24 in. dia.
 82.50 Intersect N. Boundary 22 lks. N. of post
 Where set post cor. to Sec. 4 & 5
 a W. Oak 12 in. dia. bears S. 3° E. 47 lks. dist.
 " B. Oak 24 " " " S. 40° E. 60. " "
 Timber in Grove W. & B. Oak Soil poor
 and sandy. no undergrowth
 Dec. 25th 1834

North Between Sections 31 & 32
 4.24 a W. Oak 48 in. dia.
 18.67 " Do 20 " "
 24.51 " Do 26 " "
 40.00 Set gr. Sec. post from which a
 W. Oak 15 in. dia. bears N. 15° E. 43 lks. dist.
 " Do 24 " " " S. 16° E. 62. " "
 55.50 Enter prairie
 80.00 Set post cor. to Sec. 29, 30, 31 & 32
 Where raise a mound

pit South 3 1/2 m. dist.
Land moderately rolling. prairie West Timber
W. & B. Oak Undergrowth same
Soil poor & sandy

East on random between Sec. 29 & 32
6.00 Enter grove
16.50 Leave do & enter prairie West
44.00 Enter timber
80.15 Intersect East line 43 1/2 m. N. of post
Soil sandy & thin. timber Oak of all
kinds. Land level Undergrowth none

West Correct line between Sec. 29 & 32
4.00 a B. Oak 30 in. dia
16.50 " Do - 18 " "
40.07 1/2 Set gr. Sec. post from which a
B. Oak 6 in. dia. bears S. 82° E. 1.56 1/2 m. dist.
" Do 12 " " " N. 42° E. 2.33 " "
80.15 Section corner

West on random between Sec. 30 & 31
9.00 Deep pond
55.25 Over do
86.00 Intersect Range line 88 1/2 m. S. of post
Land all marsh & pond

East Correct line between Sec. 30 & 31
46.00 Set gr. Sec. post. No mound nor
bearings possible
86.00 Section corner

North Between Sections 29. & 30
12.56 Deep pond
26.00 Over do
32.00 Same do

T. 30 N. R. 8, W. 2 nd Mer. Ind. &

36.00 Over pond
 40.00 Set gr. Sec. post. no mound nor
 bearings to be had
 80.00 Set post cor. to Sec. 19, 20, 29 & 30
 no mound nor bearings to be had
 whole line in pond & deep marsh

East on random between Sec. 20 & 29
 79.74 Intersect East line 1 chain N. of post
 Laura Verry marshy

West correct line between Sec. 20 & 29
 39.87 Set gr. Sec. post no mound or bearings
 79.74 Section corner

West on random between Sec. 19 & 30
 85.94 Intersect Range line 50 lbs S. of post
 Laura Verry marshy

East correct line between Sec. 19 & 30
 45.94 Set gr. Sec. post where raise mound
 no bearings pit East 3 lbs. dist.
 85.94 Section corner
 Dec. 23rd, 1834

North Between sections 19 & 20
 40.00 Set gr. Sec. post. no mound nor
 bearings
 80.00 Set post cor. to Sec. 17, 18, 19 & 20
 no mound nor bearings
 all marsh

East on random between Sec. 17 & 20
 80.00 Intersect East line 1.10 lbs. N. of post
 Laura Verry marshy

119

Y
 J. 30 N. B. 8. W. 2nd Mer. Ind. 4th

West correct between Sections 17 & 20
 40.00 Set gr. Sec. post no mound nor
 bearings
 80.00 Section Corner

West True line between Sec. 18 & 19
 3.86 Intersect Beaver Lake & Set post
 cor. to Sec. 18 & 19 no mound nor
 bearings. Land Marshy

North Between Sec. 17 & 18
 40.00 Set gr. Sec. post. no mound nor
 bearings
 80.00 Set post cor. to Sec. 7, 8, 17 & 18 no
 mound nor bearings
 Land Marshy

East on random between Sec. 8 & 17
 31.50 Enter Grove of oak
 55.00 Leave do do & Enter marsh
 79.00 Intersect East line at post
 Land Marshy except Grove

West correct line between Sec. 8 & 17
 39.50 Set gr. Sec. post no mound nor
 bearings
 79.00 Section Corner

West True line between Sec. 7 & 18
 31.25 Enter timber
 40.00 Set gr. Sec. post from which a
 W. oak 6 in. dia bears N. 58° E. 9 1/2 m. dist.
 a Sassafras 5 " " " S. 62 W. 5 " "
 41.00 Enter marsh
 48.59 Intersect Beaver Lake & Set post cor. to
 Sec. 7 & 18

T. 30. N. R. 8 W. 2nd Mer. Ind.

a B. Gum 18 in. dia. bears N. 74° E. 517 lks. dist.

" Do 18 " " " " 9. 82° E. 743. " "

Timber Oak & Gum prairie Marshy
Soil poor

Dec. 24th 1834

North	Between Sections 7 & 8
25.06	Leave Marsh & Enter grove
27.50	a B. Oak 30 in. dia.
33.81	" Do 12 " "
40.06	Set gr. Sec. post from which a B Oak 12 in. dia. bears S. 11° E. 54 lks. dist.
	a Do 8 " " " N. 39° W. 12. " "
44.50	Leave grove & Enter Marsh
80.00	Set post cor. to Sect. 5, 6, 7 & 8
	a B. Oak 18 in. dia. bears N. 84° E. 4.60 lks. dist.
	" W. Oak 15 " " " N. 19° W. 6.17. " "
	Grove B & W. Oak. Soil poor

East	on random between Sect. 5 & 8
79.10	Intersect East line 110 lks. N. of post
	All Marsh

West	Correct line between Sect. 5 & 8
39.55	Set gr. Sec. post, no mound nor bearings
79.10	Section corner

West	on random between Sect. 6 & 7
7.98	Enter Timber
23.06	Leave do & Enter Marsh
83.75	Intersect Range line 150 lks. S. of post

East	Correct line between Sect. 6 & 7
43.75	Set gr. Sec. post, no mound nor bearings

S. 30 N. E. 8 W. 2nd Mer. Ind^a 121

83.75 Section Corner
Land level Soil poor W. & B. Oak

North Between Sections 5 & 6
6.00 Leave Marsh & Enter grove
10.03 a B. Oak 18 in. dia,
10.30 Enter prairie
40.00 Set gr. Sec. post no mound nor
bearings
81.32 Intersect North Boundary 119th E. of post
When Set post cor. to Sec. 5 & 6 no
mound nor bearings prairie very marshy
poor Soil Grove Oak & Gum
Dec. 25th 1834

Meanders of Beaver Lake

Begin at post on Range line between
range 8 & 9 on West Side Sec. 7

Course, C.S

Remarks

S. 12 $\frac{1}{2}$ ° E. 18.53

in Sec. 7

S. 13° E. 7.25

S. 11° E. 11.69

S. 26 $\frac{1}{2}$ ° E. 6.10

S. 42° E. 7.64

N 54° E. 3.62

S. 76 $\frac{1}{2}$ ° E. 4.11

S. 27 $\frac{1}{2}$ ° E. 19.98

S. 37° E. 6.80

To post on line between Sec. 7 & 8

S. 33° E. 8.24

in Sec. 18

S. 69° E. 6.25

S. 52 $\frac{1}{2}$ ° E. 9.16

S. 42° E. 10.18

S. 34° E. 10.32

S. 50° E. 7.45

S. 29° E. 10.31

T₃₀ N. B. & W. 2nd Mer. Ind.

Meanders continued

Course	C. L.	
S. 30 E.	6.39	
S. 5 E.	14.34	
S. 1/2 W.	15.05	To post on line of Sect. 18 & 19
<hr/>		
S. 7 1/2 W.	4.94	In Sect. 19
S. 17 W.	9.27	
S. 33 1/2 W.	9.20	
S. 33 W.	12.95	
S. 68 W.	11.93	
S. 84 W.	9.22	
S. 79 1/2 W.	6.51	
S. 27 W.	6.30	
S. 49 1/2 W.	8.60	
N. 57 1/2 W.	9.25	
N. 39 1/2 W.	13.28	
N. 78 1/2 W.	13.37	To post on Range line between Ranges 8 & 9 Dec. 26 th 1834

This Township contains no good
land. the prairie is all very
marshy and the timber scattering
and the soil in the timber is
entirely bad I have seen no
place fit for cultivation

I hereby certify that in pursuance of
a contract with Mr. J. Williams
Surveyor General of the United States
for the States of Ohio Indiana &
the Territory of Michigan bearing
date the 27th of Sept. 1834 & in
strict conformity to the Laws
of the United States & the

T. 30 N. R. 8 W. 2nd Mer. Ind^a 123

Instructions of said Surveyor General I have
Surveyed & Subdivided into Sections Township
No 30 North of Range No Eight West of the 2^d
principal Meridian & I do further certify
that the foregoing are the true & original
field notes of the Survey & Subdivision
Executed as aforesaid

Certified this 26th of Dec^r 1834

Saml. Goodnow

Dept. Sur.

Isaac Tomlinson

Frederic Lichty {Chairman

William D. Porter {Markes

I hereby certify that the foregoing transcripts
of field notes of Township 30 North Range
8 West 2nd Meridian. State of Indiana
has been compared with the original in
this office and found to be correct.

William Johnston

Sur. Genl.

Surveyor General's office
Cincinnati 31st Dec^r 1842